Ref #	Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
L1	0	((memor\$3 or storag\$3 or stor\$3 or buffer) and (computer or processor or CPU or PC or microprocessor or controller) and level near3 confidence and characteriz\$3 and (outout\$4 or display\$3 or monitor\$3) and process\$3 and performance).CLM.	US-PGPU B	OR	ON	2006/03/30 15:11

3/30/06 3:11:53 PM Page 1

Ref #	Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
L1	60500	((382/128,129,130,131, 132,133,134) or (600/407) or (422/50,51,52,53,54, 73) or (435/4,6,7.2,7.23, 40.5,40.51,41,70.1,70.4, 163,440,441,449) or (436/86,94,501) or (702/19,20,21,22)).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2006/03/30 15:15
L2	26815	1 and (computer or processor or microprocessor or controller or CPU)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:21
L3	25054	2 and (stor\$4 or memor\$4 or buffer or database)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:21
L4	24029	3 and (monitor\$3 or display\$3 or output\$3 or screen\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:17

L6	744	4 and (signal\$3 near4 characteriz\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:28
L7	744	6 and (calculat\$4 or comput\$4 or measur\$3 or evaluat\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:27
L8	29	7 and level near4 confidence	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:28
L9	1419	((calculat\$4 or comput\$4 or measur\$3 or evaluat\$4) near4 (level near4 confidence))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:30

L10	25	9 and (signal\$3 near4 characteriz\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:21
L11	22	10 and (computer or processor or microprocessor or controller or CPU)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:21
L12	18	11 and (stor\$4 or memor\$4 or buffer or database)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:21
L13	18	12 and (signal\$3 near4 characteriz\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:25

L14	4898	4 and (array43 or microarray\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:26
L15	13890	4 and (array\$3 or microarray\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:26
L16	0	("15and(gridorsubgridorsu b-grid)").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2006/03/30 15:27
L17	2557	15 and(grid or subgrid or sub-grid)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:29

L18	2417	17 and compar\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:27
L19	2414	18 and (calculat\$4 or comput\$4 or measur\$3 or evaluat\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:27
L20	133	19 and level near4 confidence	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:28
L21	5	20 and (signal\$3 near4 characteriz\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:30

L22	159	9 and(grid or subgrid or sub-grid)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:30
L23	4	22 and (signal\$3 near4 characteriz\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:29
L24	5047	((calculat\$4 or comput\$4 or measur\$3 or evaluat\$4) same (level near4 confidence))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:30
L25	116	24 and (signal\$3 near4 characteriz\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:30

L26	19	25 and(grid or subgrid or sub-grid)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T;	OR	ON	2006/03/30 15:31
			T; IBM_TDB			

⊠e-mail



Home | Login | Logouf | Access information | Alc

IEEE XPLORE GUIDE

Welcome United States Patent and Trademark Office

SEARCH

BROWSE

Results for "((memor)	y <and> process</and>	or <and> chemica</and>	l <and> array</and>	/*) <in>metadata)'</in>

Your search matched 3 of 1332769 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

Search Options View Session History Modify Search ((memory <and> processor <and> chemical <and> array*)<in>metadata) Search 3 New Search Check to search only within this results set » Key Display Format: Citation Citation & Abstract HEEE JNL IEEE Journal or Magazine IEE JNL IEE Journal or Magazine view selected items Select All Deselect All IEEE CNF IEEE Conference Proceeding IEE CNF IEE Conference Proceeding 1. A fully operational 1 kb variable threshold Josephson RAM Kurosawa, I.; Nakagawa, H.; Aoyagi, M.; Kosaka, S.; Takada, S.; BEER STO IEEE Standard Solid-State Circuits, IEEE Journal of Volume 26, Issue 4, April 1991 Page(s):572 - 577 Digital Object Identifier 10.1109/4.75057 AbstractPlus | Full Text: PDF(596 KB) IEEE JNL Rights and Permissions 2. Toward robust integrated circuits: The embryonics approach ___ Mange, D.; Sipper, M.; Stauffer, A.; Tempesti, G.; Proceedings of the IEEE Volume 88, Issue 4, April 2000 Page(s):516 - 543 Digital Object Identifier 10.1109/5.842998 AbstractPlus | References | Full Text: PDF(4188 KB) | IEEE JNL Rights and Permissions 3. Energy discrimination and counting electronics for Computer-Aided Radioactive Particle Tra Wintenberg, A.L.; Clonts, L.G.; Nuclear Science Symposium Conference Record, 2003 IEEE Volume 2, 19-25 Oct. 2003 Page(s):1228 - 1232 Vol.2

AbstractPlus | Full Text: PDF(773 KB) ISEE CNF

Rights and Permissions

indexed by #Inspec Contact Us Privac

& Copyright 2006 (E.

